

# Universal Tractor Hydraulic Fluid

www.dilmar.com

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Dilmar Universal Tractor Hydraulic Fluid Part Number: 1945-B; 1945-5; 1945-55 **Distributor:** Dilmar Oil Co., Inc. 1951 W. Darlington St. Florence, SC 29501 Emergency Phone Number: During normal business hours - 800-922-5823

800-922-5823

**Recommend Uses:** For use as a common fluid to lubricate the transmission, differential, PTO and hydraulic systems.

## **SECTION 2. HAZARD(S) IDENTIFICATIONS**

#### **Emergency Overview**

Appearance	Liquid
Color	Amber
Odor	Mild

#### **GHS Classification:**

Not a hazardous substance or mixture.

#### **GHS Label Elements:**

Not a hazardous substance or mixture.

#### **Potential Health Effects**

Primary Routes of Entry:

Eye contact Ingestion Inhalation Skin contact

Aggravated Medical Condition:	None Known
Other hazards which do not result in	n classification
No Data Available.	

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture:	Mixture	
Hazardous component(s)		
Chemical Name	CAS-No.	Concentration (%)
Highly refined mineral oil	Mixture	85 – 93 %weight
Petroleum Additives	Mixture	7 – 15 %weight

## **SECTION 4. FIRST-AID MEASURES**

If inhaled:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact:	In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.



In case of eye contact:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
	Obtain medical attention.
If swallowed:	Rinse mouth with water.
	DO NOT induce vomiting unless directed to do so by a physician or poison control center.
	Never give anything by mouth to an unconscious person.
	Seek medical advice.
Most important symptoms	

and effects, both acute and delayed: First aider needs to protect himself.

## **SECTION 5. FIREFIGHTING MEASURES**


Suitable extinguishing media:	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Product will float and can be reignited on surface of water.
Unsuitable extinguishing media:	Do not use a direct stream of water.
Specific hazards during firefighting:	Cool closed containers exposed to fire with water spray.
Hazardous combustion products:	No information available.
Further information:	Prevent fire extinguishing water from contaminating surface water or the ground water system. Recommend wearing self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, Protective equipment and Emergency procedures:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions:	If the product contaminates rivers and lakes or drains inform Respective authorities.
Methods and materials for containment and cleaning up:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling:For personal protection see section 8.Smoking, eating and drinking should be prohibited in the application area.In case of insufficient ventilation, wear suitable respiratory equipment.Avoid contact with skin, eyes and clothing.Do not ingest.Keep away from heat and sources of ignition.Keep container closed when not in use.



Conditions for safe storage:

Store in original container.

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place.

Keep in properly labelled containers.

To maintain product quality, do not use in heat or direct sunlight.

### **SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protective equipment	
Respiratory protection:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type:	Organic vapor filter
Hand protection material:	Neoprene, Nitrile, Polyvinyl Alcohol (PVA), Viton(R).
Remarks:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection:	Wear safety glasses or face-shield and protective suit for abnormal processing problems.
Skin and body protection:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Protective measures:	Wash hands and face before breaks and immediately after handling the product Wash contaminated clothing before re-use. Ensure that eyewash station and safety shower are proximal to the work-station location.
Hygiene measures:	Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Liquid Color: Amber Mild Odor: Odor Threshold: No data available pH: No data available <-38 °C, -36.4 °F Pour point: Melting point/freezing point: No data available Boiling point/boiling range: 289 °C, 552 °F (Initial) Flash Point: 200 °C, 392 °F (min) Fire Point: No data available



Auto	o-Ignition Temperature:	No data available
Dec	omposition Temperature:	No data available
Evap	poration Rate:	No data available
Flam	nmability:	No data available
Upp	er explosion limit:	No data available
Low	er explosion limit:	No data available
Vap	or pressure:	No data available
Rela	tive vapor density:	> 1 (air=1)
Den	sity:	No data available
Solu	bility (ies):	
W	ater solubility:	Insoluble
Part	ition coefficient: n-	No data available.
00	tanol/water	
Visc	osity	
Vis	cosity, Kinematic:	(100C) 9.2 cSt –9.7 cSt
Ехр	losive properties:	Material does not have explosive properties.

## SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions:	Hazardous polymerization does not occur. Stable under normal conditions.
Conditions to avoid:	No data available.
Incompatible materials:	Reactive with oxidizing agents, acids, alkalis and reducing agents.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11. TOXICOLOGICAL INFORMATION

## Acute Toxicity

P	ro	d	u	C	t	:
_						

Acute oral toxicity	Remarks: No data available
Acute inhalation toxicity	Remarks: No data available
Acute dermal toxicity	Remarks: No data available

Skin corrosion/irritation Product: Remarks: No data Available

Serious eye damage/eye irritation <u>Product:</u> Remarks: No data available

**Respiratory or skin sensitization** No data available

**Germ cell mutagenicity** No data available



#### Carcinogenicity

#### Product:

Remarks: Not expected to be carcinogenic.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skin painting studies. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

known or anticipated carcinogen by NTP.

IARCNo component of this product present at levels greater than or equal to 0.1% is identified as<br/>probable, possible or confirmed human carcinogen by IARC.ACGIHNo component of this product present at levels greater than or equal to 0.1% is identified as a

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a

NTP

**OSHA** 

Reproductive toxicity No data available STOT - single exposure No data available STOT - repeated exposure No data available

## SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

Other adverse effects

<u>Product:</u>	
Toxicity to fish:	Remarks: No data available
Toxicity to daphnia and other: aquatic invertebrates	Remarks: No data available
Toxicity to algae:	Remarks: No data available
Toxicity to bacteria:	Remarks: No data available
Persistence and degradability	
Product:	
Biodegradability:	Remarks: No data available
Bioaccumulative potential	
No data available	
Mobility in soil	
No data available	

No data available
SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues:	The product should not be allowed to enter drains, water courses or the soil.
	Offer surplus and non-recyclable solutions to a licensed disposal company.
	Waste must be classified and labelled prior to recycling or disposal.
	Send to a licensed waste management company.
	Dispose of as hazardous waste in compliance with local and national
	regulations.



### Safety Data Sheet

Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

Contaminated packaging:

Do not re-use empty containers.

## **SECTION 14. TRANSPORTATION INFORMATION**

**International Regulation** 

#### IATA-DGR

Not regulated as a dangerous good IMDG-Code Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**49 CFR** Not regulated as a dangerous good **TDG** Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

#### **OSHA Hazards:**

No data available

Clean Water Act (CWA) 307:

zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis (phosphorodithioate); Zinc alkyl dithiophosphate vinvl acetate

Clean Water Act (CWA) 311:

This material is classified as an oil under Section 311 of the Clean Water Act (CWA) and the Oil Pollution Act of 1990 (OPA). Discharges or spills which produce a visible sheen on waters of the United States, their adjoining shorelines, or into conduits leading to surface waters must be reported to the EPA's National Response Center at (800)424-8802.

#### **Composition/information on ingredients**


				<u>SARA 302 TPQ</u>		<u>SARA 304 RQ</u>	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)	
Vinyl acetate	<0.01	yes	1000	129	5000	644.8	
SARA 311/312							

#### The components of this product are reported in the following inventories:

DSL	No data available
TSCA	All components are listed or exempted.
IECSC	Not determined.
EINECS	At least one component is not listed in EINECS but all such components
	are listed in ELINCS.



### **SECTION 16. OTHER INFORMATION**



#### Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

#### Prepared by: Dilmar Oil Co., Inc.

Revision date: June 1, 2015

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.